

Chem 106. J-Term 2003. Exam 1. January 10, 2003.

Name _____

By submitting this exam, I certify that I have neither given nor received unauthorized aid.

Useful information: $C_f = E_{\text{valence}} - (\#_{\text{bonds}} + E_{\text{nonbonding}})$

(1)(4 points) Which is the most complete and best description of a covalent bond?

- (A) a system of two nuclei with a pair of electrons located exactly midway between both nuclei
- (B) the attractive force between two atoms of opposite charge
- (C) a donor bond in which one atom donates an unshared pair to the other
- (D) a system of two nuclei where each atom donates one electron to the other atom, thus forming a bond

(2)(4 points) Which contains both covalent and ionic bonds?

- (A) NH_4NO_3
- (B) NF_3
- (C) BaCl_2
- (D) CH_2O

(3)(4 points) When two elements unite to form an ionic type of crystal, what is the principal force that holds the particles together?

- (A) van der Waals forces
- (B) magnetic attraction
- (C) electrostatic attraction
- (D) metallic bonding
- (E) covalent attraction


(4)(4 points) In the compound PCl_5 , what is the hybridization of P?

- (A) s
- (B) p
- (C) sp^3
- (D) sp^3d
- (E) sp

(5)(4 points) Which molecule contains only one unshared pair of valence electrons?

- (A) H₂O (B) NH₃ (C) CH₄ (D) NaCl

(6)(4 points) The Lewis structure of NO₂⁻ is best drawn as



(7)(4 points) Mark the polarity of each of the following bonds using δ^+ and δ^- .

(a) Si-F

(b) I-Br

(c) C-O

(d) N-C

(8)(4 points) Draw the best Lewis Dot Structure for each of the following compounds

(a) PH_4^+

(b) SO_2

(c) NO^-


(9)(4 points) Find the Lewis Dot structure with the best formal charge for ClO_4^- . Show the formal charge calculations for both the Cl and O.

(10)(4 points) List the VSEPR geometries for the following compounds. Draw the structures and indicate the bond angles.


(a) BF_3

(b) SF₄

(11)(4 points) For the acetonitrile molecule (shown below), list the hybridization for both carbon atoms (C_a and C_b) and the nitrogen atom. Draw a picture of the σ -bonds and separate picture(s) of the π -bond(s).



(12)(4 points) Using the data below, construct a Born-Haber cycle for the following reaction and determine the lattice energy, U .




Energy of sublimation of $\text{K}_{(s)} = 89.2 \text{ kJ/mol}$

Bond dissociation energy of $\text{F}_2 = 159 \text{ kJ/mol}$

$E_{i1} = 418.9 \text{ kJ/mol}$ for K

$E_{i2} = 3920 \text{ kJ/mol}$ for K

$E_{ea} = -328 \text{ kJ}$ for $\text{F}_{(g)}$



Extra Credit (5 points): Draw all of the resonance structures for PO_4^{3-} and show formal charge on each atom.